

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	501	717/170	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 16:36
L2	36	L1 and ((application near4 (version updat\$5 upgrad\$5)) and (URL (universal adj1 resource adj1 locator)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 16:36
S1	4976	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 14:10
S2	1330	(709/245).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 14:08
S3	618	(718/105).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 14:09
S4	867	(718/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 14:09
S5	7466	S1 S2 S3 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:10
S6	61	server and (application near instance) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:17
S7	432	server and (persistent) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:36
S8	3480	(application near3 (server instance)) and (load adj2 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:18

S9	962	(application near3 (server instance)) same (load adj2 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:30
S10	154	S9 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:25
S11	393	S9 and URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:31
S12	1469	S8 and (IP adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:26
S13	107	S9 and ((IP adj1 address) same instance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:28
S14	12	S9 and ((IP adj1 address) same (application near3 instance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:30
S15	659	S8 and ((IP adj1 address) near5 (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:31
S16	223	S9 and ((IP adj1 address) near5 (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:31
S17	9	server and (application near instance) same ((IP adj1 address) near3 (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:35
S18	129	server and (application near instance) and ((IP adj1 address) near3 (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 08:01

S19	335	(proxy near2 server) and (application same ((user client) near4 (IP adj1 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 08:22
S20	62	(proxy near2 server) and ((application near3 (instance server)) same ((user client) near4 (IP adj1 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 08:22
S21	3	US-5410648-\$.DID. OR US-6061517-\$.DID. OR US-5956036-\$.DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/13 13:59
S23	189	(application near4 instance) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 08:45
S24	6	(application near4 instance) same (match adj1 maker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:36
S25	3	US-5410648-\$.DID. OR US-6061517-\$.DID. OR US-5956036-\$.DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/18 13:35
S26	3	("6061517").URPN.	USPAT	OR	ON	2005/01/18 09:14
S27	2400	(application near4 (instance server)) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:38
S28	953	(application near4 (instance server)) with (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:00
S29	64	(application near instance) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:01
S30	2209	(application near3 (instance server set)) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:03

S31	128	S30 and ((IP adj1 address) near (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:19
S32	3	US-6275693-\$.DID. OR US-6292668-\$.DID. OR US-6112244-\$.DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/27 11:36
S33	1122	S30 and ((name ID identif\$7) near (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:21
S34	1433	S30 and ((name ID identif\$7) near3 (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:21
S35	162	S30 same ((name ID identif\$7) near (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:52
S36	0	("2003/0078961").URPN.	USPAT	OR	ON	2005/01/18 11:35
S37	803	(717/124,170).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:35
S39	11	S37 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 11:35
S40	913	(application near4 proxy near4 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:36
S41	89	(application near4 proxy near4 server) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:39
S42	37	(application near4 proxy near4 server) same (user near2 (name ID identifier identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 12:42

S43	9	US-6226752-\$.DID. OR US-6178511-\$.DID. OR US-6092196-\$.DID. OR US-6629246-\$.DID. OR US-5944824-\$.DID. OR US-6651168-\$.DID. OR US-6374359-\$.DID. OR US-6205480-\$.DID. OR US-6668322-\$.DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/18 13:44
S44	5	US-6041357-\$.DID. OR US-6092196-\$.DID. OR US-6115040-\$.DID. OR US-6205480-\$.DID. OR US-6006334-\$.DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/18 13:44
S45	803	(717/124,170).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 13:58
S46	49	S45 and (application near3 instance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:59
S47	4991	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 16:11
S48	2196	(709/229).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 16:11
S50	607	(S47 S48) and (application near3 (instance servier proxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:14
S52	2800	(S47 S48) and (application near3 (instance server proxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 16:15
S53	382	(S47 S48) and ((application near3 (instance server proxy)) same ((user client) near3 (name ID identifi\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:05

S54	3	US-5410648-\$.DID. OR US-6061517-\$.DID. OR US-5956036-\$.DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/27 11:36
S55	1056	(application program) near4 (access\$5 select\$5 choos\$5 pick\$5) near10 (URL universal adj1 resource adj1 locator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:19
S56	781	(application program) near4 (access\$5 select\$5 choos\$5 pick\$5) near5 (URL universal adj1 resource adj1 locator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:56
S57	614	(application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 (URL universal adj1 resource adj1 locator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:09
S58	15	(application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$6 name ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:19
S59	15	((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) near5 ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$6 name ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:15
S60	73	((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) same ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$6 name ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:19
S61	88	((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) same ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$8 name ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:47
S62	17	(application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$8 name ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:19
S63	170	((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) near4 (IP near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:52

S64	46	((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) near4 ((IP near2 address) near3 (user client request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:58
S65	245	((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) same ((IP near2 address) near3 (user client request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 10:59
S66	903	(application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 (version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 11:14
S67	2781	(application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 (version updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:36
S68	5054	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 11:14
S69	1352	(709/245).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 11:14
S70	629	(718/105).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 11:14
S71	884	(718/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 11:14
S72	7586	S68 S69 S70 S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 11:14
S73	7586	S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 11:15

S74	117	S73 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 11:15
S75	2421	(URL (universal near3 locat\$3)) near4 ((user client) near4 (ID idenification name address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:29
S76	2091	(URL (universal near3 locat\$3)) near3 ((user client) near4 (ID idenification name address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:31
S77	275	S72 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:29
S78	267	S76 and (application near3 (select proxy choose pick assign))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:36
S79	11	S76 same (application near3 (select proxy choose pick assign))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:36
S80	1	application near4 (match near3 maker) near10 (version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:23
S81	9	application near4 (match near3 maker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:29
S82	20	application same (match near3 maker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:34
S83	4548	(application program) near3 (access\$5 select\$5 choos\$5 pick\$5 match\$5 connect\$5) near10 (version updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:37

S84	178	S72 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:37
S85	4	(application program) near4 (proxy) near5 (URL universal adj1 resource adj1 (locator identifier)) near10 (client user near4 (ID name identific\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:58
S86	41	(application program instance) near4 (proxy match\$5 select\$5 assign\$5) near5 (URL universal adj1 resource adj1 (locator identifier)) near10 (client user near4 (ID name identific\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:59
S87	38	("4485440" "4791565" "4999806" "5047919" "5083309" "5231566" "5291596" "5386369" "5388211" "5475585" "5497479" "5499340" "5528490" "5583993" "5590056" "5613089" "5634129" "5649187" "5666493" "5680615" "5754761" "5758110" "5761651" "5765143" "5771354" "5790664" "5819092" "5828843" "5845065" "5862377" "5870717" "5894571" "5913032" "5936860" "5987376" "6108703" "6145001" "6223177").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/02 17:13
S88	1	("6532488").URPN.	USPAT	OR	ON	2005/02/02 17:16
S89	14	("4780821" "5918010" "5925127" "6108779" "6212564" "6216153" "6339826" "6343280" "6411943" "6510466" "6532488" "6532543" "6546002" "6550062").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/02 17:16
S90	1102	(application program version) near4 (access\$5 select\$5 choos\$5 pick\$5) near10 (URL universal adj1 resource adj1 locator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:20
S91	13	(application program version) near4 (access\$5 select\$5 choos\$5 pick\$5) near10 ((URL universal adj1 resource adj1 locator) near10 ((user client computer) near4 (name ID identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:22

S92	17	(application near2 instance) near4 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:33
S93	34	(application near2 instance) near10 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:43
S94	84	(application near4 (instance context)) near10 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:30
S95	320	(application near4 (instance context)) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:30
S96	193	(application near4 (instance)) same (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:39
S97	115	(application near4 (instance session)) near10 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:45
S98	56	((application process) near4 (instance)) near10 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:45
S99	0	(application near instance) near10 ((IP adj1 address) near10 (client user terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:57
S10 0	0	(application near2 instance) near4 ((IP adj1 address) near4 (client terminal user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:42
S10 1	13	(application near2 instance) near4 ((IP adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:38

S10 2	15	(application near4 instance) near4 ((IP adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:22
S10 3	114	(application near4 instance) same ((IP adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:38
S10 4	92	(load near2 balanc\$5) near10 ((IP adj1 address) near3 (client user source terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:56
S10 5	175	(load near2 balanc\$5) near10 ((address) near3 (client user source terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:19
S10 6	1149	(application instance process) near10 ((IP adj1 address) near3 (client user source terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:56
S10 7	504	((application near2 instance) process) near10 ((IP adj1 address) near3 (client user source terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:20
S10 8	17	("4403286" "4495570" "4577272" "5031089" "5675739" "5917997" "5923854" "5935215" "5951650" "6023734" "6078964" "6084859" "6101543" "6175874" "6185218" "6266335" "6343322").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/03 09:22
S10 9	382	((client user) near3 identification) near10 (IP adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:25
S11 0	17	S109 and (application near4 instance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:35
S11 1	197	S109 and ((application software program) near10 (access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:36

S11 2	72	((application software program) near2 (updat\$5 upgrad\$5)) near4 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:33
S11 3	128	((application software program) near4 (updat\$5 upgrad\$5 version)) near4 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:11
S11 4	214	((application software program) near4 (updat\$5 upgrad\$5 version)) near10 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:12
S11 5	2	(new chang\$5 updat\$5) near4 (application near2 instance) near4 (URL (universal adj1 resource adj1 locator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:20
S11 6	11	application near10 (match near3 maker)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:30
S11 7	1	("5774660").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 11:04
S11 8	532	717/168	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 11:59
S11 9	501	717/170	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 11:04
S12 0	309	717/171	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 11:04
S12 2	84	(S118 S119 S120) and ((application near4 (version updat\$5 upgrad\$5)) and (URL (universal adj1 resource adj1 locator)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:59
S12 3	5	S106 and (S118 S119 S120)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:56

S12 4	13	(application near instance) same ((IP adj1 address) near10 (client user terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:57
S12 5	197	717/169	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 11:59
S12 6	262	717/175	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/03 11:59
S12 7	94	(S118 S119 S120 S125 S126) and ((application near4 (version updat\$5 upgrad\$5)) and (URL (universal adj1 resource adj1 locator)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 12:01
S12 8	317	(S118 S119 S120 S125 S126) and (application near2 (service server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 12:02